INDEX

Page

Actinomyces scabies, reaction to in potato, inheritance 220–231
Actinomycetes, responses to organic amendments in Houston black clay 528–531, 532
ADAMS, JAMES E., MITCHELL, ROLAND B., and THOM, CHARLES: Microbial Responses to Organic Amendments in Houston Black Clay 527–534
Air currents, dissemination of spores of wood-staining fungi 549–551, 556–557
Alfalfa—
  growth, effect of iodine addition to soil, experiments 633–635
  value in prevention of rickets in pigs 639–648
Alkyl sulfinate, assimilability by *Aspergillus niger* 125–126
ALLARD, H. A.:
  Further Studies of the Photoperiodic Behavior of Some Mints (Labiatae) 55–64
  and GARDNER, W. W.: Responses of Some Plants to Equal and Unequal Ratios of Light and Darkness in Cycles Ranging From 1 Hour to 72 Hours 305–330
Ambrosia beetles, dissemination of wood-staining fungi 552, 556–557
Ammonia—
  content of cottonseed, effects of fertilization and cultural practices when grown on Yazoo-Mississippi Delta soils. Marvin Gieger 49–54
  release—
    during germination of sugar-beet seed, experiments 693–695, 707–710
    from sugar-beet seed-ball extracts by enzymatic hydrolysis 696–698, 708–710
  toxic effects on sugar-beet seeds and—
    other germinating seeds. Myron Stout and Bion Tolman 687–713
    seedlings, experiments 695, 708, 710
Ammonium hydroxide, effect on germination of sugar-beet seed 699, 708, 710
ANDRUS, C. F., and WADE, B. L.: A Genetic Study of Common Bean Mosaic Under Conditions of Natural Field Transmission 389–393
Animal fibers. *See* Fibers, animal.
Aphanomyces euteiches—
  cause of root rot of garden peas, and control 1, 16–18
  growth—
    effect of nutrient concentration 15–16
    reaction on medium 4–5, 16–17
  infection of pea by, effect on soil moisture 6–7, 16–17
Aphanomyces root rot—
  infection, development, relation of increased nutrient concentration and ion balance 9–14, 17–19
  of garden pea, certain environal and nutritional factors affecting. Paul G. Smith and J. C. Walker 1–20
APP, B. A., PATCH, L. H., STILL, G. W., and CROOKS, C. A.: Comparative Injury by the European Corn Borer to Open-Pollinated and Hybrid Field Corn 355–368
Apple, fruit surface, retention of insecticide, relation to wetting power 681–685
Army worm, southern—
  alimentary epithelial cells, glycogen in 282–283
  blood and midgut epithelial cells—
    gylcogen in, intracellular location and appearance 265–266
    kinds containing glycogen 263–265, 279–280
Armyworm, southern—Continued. Page
  blood-cell glycogen—
    count and index 266–268, 281–282, 287–288
    effect of nutritional conditions 273–274
    effects of different fixing and staining methods 270–271
    occurrence, factors affecting 276–279
    state 282
  blood cells—
    glycogen in, histochemical detection. J. Franklin Yeager and Sam C. Munson 257–294
    kinds containing glycogen 279–280
  blood sugar, relation to blood-cell glycogen 274–275
  glycogen inclusions in blood cells, forms 280–281
  instars, blood-cell glycogen in, significance 279
  larvae, starving and feeding on different foods, effects on glycogen index 262–263, 273–274, 276, 287–288
  midgut epithelium and other tissues, glycogen in, histochemical detection. J. Franklin Yeager and Sam C. Munson 257–294
  sixth-instar, blood, buffer capacity. Frank H. Babers 183–190
  tissues, polysaccharide in 268–270
ASDELL, S. A., and WILLMAN, J. P.: The Causes of Stillbirth in Swine and an Attempt To Control It 345–353
Ash content of *Symphoricarpos rotundifolius*, factors affecting 735
Asparagin solution, nitrogen analysis after sugar-beet seed germination 696, 708
Aspergillus niger—
  growth—
    assimilability of sulfur in—
      cystine, methionine, and thiamin, experiments 113–114, 121–125
      miscellaneous organic compounds, experiments 114–116, 121–125
    effects of—
      nutrient-solution purification with various sulfur sources in relation to 121–125
      trace-element deficiencies with various sulfur compounds in relation to nutrition 116–120, 121–125
    in inorganic compounds of sulfur, studies 111–113, 121–125
  nutrition, sulfur and trace-element. Robert A. Steinberg 109–127
Auxin, diffusion in growth of crown gall, study 402–403
Avena test of crown gall, application to tomato 396–403
Avenaceum wilt of potatoes—
  studies in Wisconsin 495–524
  symptoms 498–504
Azotobacter agile, growth, effect of iodides 631–633

BABERS, FRANK H.: The Buffer Capacity of the Blood of the Sixth-Instar Southern Armyworm (*Prodenia eridania*) 183–190
Bacilli, responses to organic amendments in Houston black clay 528–531, 532
BACON, CHARLES W., and SMITH, HAROLD H.: Increased Size and Nicotine Production in Selections From Intraspecific Hybrids of *Nicotiana rustica* 457–467
Bacteria—
  presence in Houston black clay, studies 527–533
  responses to organic amendments in Houston black clay 528–532
  soil, control of phymatotrichum root rot of cotton, studies. Roland B. Mitchell, Dalton R. Hooton, and Francis E. Clark 535–547

Bagasse— Page
delignification, partial, procedure 242-243
hemicellulose, hydrolysis, procedure 244-246
hemicelluloses—
B. L. Davis and Max Phillips 241-247
crude, isolation 243-244
BAILEY, BARBARA:
A Study of Sampling in Cross-Section Measurements of Wool Fiber 407-415
Physical and Chemical Properties of Flannels Containing Different Proportions of New and Reprocessed Wool 583-598
Bark beetles, dissemination of wood-staining fungi 553, 556-557
Barley—
caryopses and glumes, melaninlike pigment in, inheritance. R. W. Woodward 21-28
cytological studies 741-749
dwarfism, cytological basis 741, 748, 749
growth, effect of iodine, experiments 627-631
inversion—
reciprocal translocation, trisomics, and tetraploids. Luther Smith 741-750
study 744-745
melaninlike pigment, inheritance in glumes and caryopses. R. W. Woodward 21-28
mutants, meiosis 749
seed, extracts, properties and effect on germination of lettuce and naked sugar-beet seeds 704-705
sterility, cytological study 741, 744-746
tetraploids, fertility, study 748-749
toxicity of sodium chlorate to 482-493
translocation, reciprocal, study 745-746
trisomic, chromosome behavior 746-747
varieties, colored×white, genetic studies 24-27
Bean—
crosses, resistance to rust, inheritance 599-621
hybrids, inheritance of resistance to six physiologic races of bean rust 599-621
mosaic, common, transmission under natural field conditions, genetic study, B. L. Wade and C. F. Andrus 389-393
rust, six physiologic races, inheritance of resistance to. W. J. Zaumeyer and L. L. Harter 599-622
Beans—
germination, influence of osmotic pressure and ammonia 701-704
snap—
resistance to mosaic infection, genetic studies 389-393
variegation, genetic studies. B. L. Wade 661-669
Beta-indole-acetic acid, metabolic action in, growth of crown gall 395, 397, 403-404
BLACK, W. H., and KNAPP, BRADFORD, JR.: Factors Influencing Rate of Gain of Beef Calves During the Suckling Period 249-254
Blood—
cells—
insect, glycogen inclusions, forms 280-281
insect, kinds containing glycogen 279-280
of southern armyworm, glycogen, histochemical detection. J. Franklin Yeager and Sam C. Munson 257-294
human, buffering power and action 187, 188
insects, buffering power 187-188
of southern armyworm, sixth-instar, buffer capacity. Frank H. Babers 183-190
serum of chickens, use in growth studies of *Hemophilus gallinarum* and *H. influenzae*. 30
British Foot-and-Mouth Disease Research Committee, work 41-42, 46-47
Bromegrass—
chemical composition and digestibility, experiments with lambs 427-431
smooth—
harvested in three stages of maturity, nutrients of, chemical composition and apparent digestibility. Jerry Sotola 427-432
plants, development 428-429, 431
Buffer capacity of blood of sixth-instar southern armyworm (*Prodenia eridania*). Frank H. Babers 183-190

C factor, requirement for growth of *Hemophilus gallinarum*, study. J. P. Delaplane and H. O. Stuart 29-30
Calcium content of *Symphoricarpos rotundifolius*, factors affecting 735
Calves, beef—
rate of gain during suckling period, factors influencing. Bradford Knapp, Jr., and W. H. Black 249-254
suckling, effect of—
feeds on rate of gain 250-251
sex on rate of gain 251-252
Cantaloup seed, germination, influence of osmotic pressure and ammonia 701-704
Celery seed, extracts, properties and effect on germination of lettuce and naked sugar-beet seeds 704-705
Ceratostomella spp., dissemination to logs and lumber 550-557
Chemicals, use in control of wood-staining fungi 555-557
Chickens, blood—
plasma, use in studies of coryza and influenza 29-30
serum, use in studies of coryza and influenza 27-30
Chlorate toxicity and persistence in relation to soil reaction. Annie M. Hurd-Karrer 481-494
Chromosome behavior in *Lactuca* crosses, studies 95-106
Chromosomes, studies in barley 741-749
CLARK, FRANCIS E., MITCHELL, ROLAND B., and HOOTON, DALTON R.: Soil Bacteriological Studies on the Control of the Phymatotrichum Root Rot of Cotton 535-547
Clover, red, effect of iodine addition to soils, experiments 633-635
Colloids, soil—
effect on toxicity of sodium selenite to millet. P. L. Gile and H. W. Lakin 559-581
specific effects on—
selenite toxicity, determination 562-575
selenite toxicity, relation to chemical composition 575-576
toxicity of sodium selenite to millet and rice 574-575
Color—
inheritance in glumes and caryopses of barley 21-28
seeds, relation to nitrogen content 709
Corn—
borer, European—
comparative injury to open-pollinated and hybrid field corn. L. H. Patch, G. W. Still, B. A. App, and C. A. Crooks 355-368
population, effect on breakage of open-pollinated and hybrid corn plant 363-368
population, effect on quality and yield of open-pollinated and hybrid ears 356-363
dent, inbred line *Pr*, inheritance of susceptibility to infection by *Helminthosporium maydis* 331-334
field, open-pollinated and hybrid, comparative injury by European corn borer. L. H. Patch, G. W. Still, B. A. App, and C. A. Crooks 355-368
growth, effect of iodine, experiments 627-631
open-pollinated and hybrid—
marketable yield, reduction by borers 360-362
relative borer damage 362-363
sweet—
germination, effect of stage of maturity at harvesttime. C. W. Culpepper and H. H. Moon 335-343
germination, influence of osmotic pressure and ammonia 701-704
immature grains planted in field, behavior 339
maturity stage at harvesttime, effect on germination. C. W. Culpepper and H. H. Moon 335-343
seed, germination, effect of delayed harvest 342
seed, germination, relation to weight, dry matter, and sugar content 337-338, 339-342
toxicity of sodium chlorate to 482-493
See also Maize.
Coryza bacillus, growth in fowl, C factor as requirement, study 29-30
Cotton—
boll characters—
immediate effects of pollen on, factors influencing. H. J. Fulton 469-480

Cotton—Continued. Page
boll characters—continued.
interrelationships 470–471
cross-pollinations, effects on boll characters 472–473
nutrition, conditions affecting, variation 477–479
phymatotrichum root rot, control, soil bacteriological studies. Roland B. Mitchell, Dalton R. Hooton, and Francis E. Clark 535–547
pollen, effects on boll characters—
factors influencing. H. J. Fulton 469–480
factors modifying 474–479
root rot—
fungi, microflora accompanying, studies 527–533
fungus, control, studies 536–546
organism, presence in Houston black clay, studies 527–533
roots, *Phymatotrichum omnivorum* infection, growth and persistence 536–541, 544–546
Cottonseed, ammonia and oil content, effects of fertilization and cultural practices when grown on Yazoo-Mississippi Delta soils. Marvin Gieger 49–54
Crabgrasses, seed, germination progress, influence of germination temperature and other factors 65–89
Crooks, C. A., Patch, L. H., Still, G. W., and App, B. A.: Comparative Injury by the European Corn Borer to Open-Pollinated and Hybrid Field Corn 355–368
Crown gall, growth substance in—
determination 395–404
relation to time after inoculation, critical temperature, and diffusion. A. J. Riker, Berch Henry, and B. M. Duggar 395–405
Cucumber—
juice, properties, relation to dry-seed extracts 705–706
mosaic viruses, comparison with *Primula obconica* mosaic virus 677–678
seed, germination, influence of osmotic pressure and ammonia 701–708, 710
Culpepper, C. W., and Moon, H. H.: Effect of Stage of Maturity at Time of Harvest on Germination of Sweet Corn 335–343
Cupples, H. L.: Relation Between Wetting Power of a Spray and Its Initial Retention by a Fruit Surface 681–686

Darkness, equal and unequal ratios to light in cycles ranging from 1 hour to 72 hours, responses of some plants. H. A. Allard and W. W. Garner 305–330
Davis, B. L., and Phillips, Max: The Hemicelluloses of Sugarcane Fiber (Bagasse) 241–247
Day length, effect on behavior of mint species, experiments 55–64
Delaplane, J. P., and Stuart, H. O.: A Study of the C Factor as a Requirement for Growth of *Hemophilus gallinarum* 29–30
Digitaria seed—
freshly harvested, germination tests 66–68, 75, 85–86
germination progress, influence of germination temperature and other factors. Eben H. Toole and Vivian Kearns Toole 65–90
prechilled, germination tests 70–72, 82–84, 87–88
stored, germination tests 68–69, 77–82, 87
Dill, growth and flowering, relation to different ratios of light and darkness 325–327, 328–329
Diplodia natalensis, dissemination to logs and lumber 550–553, 556
Dips, chemical, for lumber, value in control of staining fungi 555–556, 557
Disinfection of hides, use of sodium bifluoride and sodium silicofluoride. C. A. Manthei and A. Eichhorn 41–48
Drought, effect on *Ophiobolus graminis* in soil 717, 719
Dry-cleaning, effect on fabrics made from new and reprocessed wool 589–596
Duggar, B. M., Riker, A. J., and Henry, Berch: Growth Substance in Crown Gall as Related to Time After Inoculation, Critical Temperature, and Diffusion 395–405

Eichhorn, A., and Manthei, C. A.: Use of Sodium Bifluoride and Sodium Silicofluoride in the Disinfection of Hides 41–48

Eide, Carl J., and Krantz, F. A.: Inheritance of Reaction to Common Scab in the Potato 219–231
Endoconidiophora coeruscens, dissemination to logs and lumber 550, 552, 555–556
Environment—
effect on—
chemical composition of *Symphoricarpos rotundifolius*, experiments 727–738
seasonal development of fusarium wilt disease of potatoes, field experiments 518–521
factors affecting aphanomyces root rot of garden pea. Paul G. Smith and J. C. Walker 1–20
Epithelium—
alimentary, glycogen, occurrence 282–283
midgut, of southern armyworm, glycogen in, histochemical detection. J. Franklin Yeager and Sam C. Munson 257–294
Eumartii wilt of potatoes, studies in Wisconsin 495–524

Fabrics manufactured from new and reprocessed wool, comparison 588–596
Fat in hog carcasses, grade limits, establishment by penetrometer readings 238–240
Fatty tissue of hog carcasses, firmness, determination by use of penetrometer. R. L. Hiner and O. G. Hankins 233–240
Feeds, suckling calves, effect on rate of gain 250–251
Fellows, Hurley: Effect of Certain Environmental Conditions on the Prevalence of *Ophiobolus graminis* in the Soil 715–726
Fertilizer, potash, treatment of tobacco and effect on quality 31–38
Fertilizers, commercial, effect on yield and oil and ammonia content of cottonseed grown on Yazoo-Mississippi Delta areas 50–52
Fiber—
crude, content of *Symphoricarpos rotundifolius*, factors affecting 734–735, 736
sugarcane, hemicelluloses. B. L. Davis and Max Phillips 241–247
Fibers—
animal—
keratin particles in 300–301
"particles," relationship to structure. J. I. Hardy and Thora M. Plitt 295–303
wool, sampling in cross-section measurements, study. Barbara Bailey 407–415
woolen, new and reprocessed, comparison 587–588
Flannels containing different properties of new and reprocessed wool, physical and chemical properties. Barbara Bailey 583–598
Flax—
rust—
fungus, physiologic races, differentiation by host 370–373
races, reaction of flax crosses to, experiments 373–385
reaction, inheritance in flax varieties, Buda×J. W. S. H. H. Flor 369–388
varieties, Buda×J. W. S., rust reaction in, inheritance. H. H. Flor 369–388
Flor, H. H.: Inheritance of Rust Reaction in a Cross Between the Flax Varieties Buda and J. W. S 369–388
Foot-and-mouth disease virus, effect of sodium bifluoride and silicofluoride on, experiments 41–47
Fowl coryza bacillus, growth, C factor as requirement, study 29–30
Fruit—
juices, effect on germination of seeds 705–706, 710
surface, retention of spray, relation to wetting power. H. L. Cupples 681–686
Fulton, H. J.: Some Factors That Influence the Immediate Effects of Pollen on Boll Characters in Cotton 469–480
Fungi—
log- and lumber-staining, dissemination. A. F. Verrall 549–558
responses to organic amendments in Houston black clay 528–531, 532
Fusarium—
avenaceum—
comparison with *F. oxysporum* and *F. solani* var. *eumartii* in relation to potato wilt in Wisconsin. John G. McLean and J. C. Walker 495–525
relation to host tissue 505
single-spore strains, pathogenicity studies 496–497

Fusarium— Page
oxysporum—
comparison with *F. avenaceum* and *F. solani* var. *eumartii* in relation to potato wilt in Wisconsin. John G. McLean and J. C. Walker 495–525
relation to host, tissue 505
solani var. *eumartii*—
comparison with *F. avenaceum* and *F. oxysporum* in relation to potato wilt in Wisconsin. John G. McLean and J. C. Walker 495–525
relation to host tissue 505
spp., relation to potato wilt disease in Wisconsin, comparative studies 495–523
wilt disease, seasonal development, relation to environemnt, field experiments 518–521
wilts—
distribution and economic importance in Wisconsin 504
of potato, seasonal development 509–521

GARNER, W. W., and ALLARD, H. A.: Responses of Some Plants to Equal and Unequal Ratios of Light and Darkness in Cycles Ranging From 1 Hour to 72 Hours 305–330
Genetic studies of variegation in snap beans. B. L. Wade 661–669
Germination—
of sugar-beet and other seeds, with special reference to toxic effects of ammonia. Myron Stout and Bion Tolman 687–713
of sweet corn, effect of stage of maturity at harvesttime. C. W. Culpepper and H. H. Moon 335–343
progress, *Digitaria* seed, influence of germination temperature and other factors. Eben H. Toole and Vivian Kearns Toole 65–90
GIEGER, MARVIN: The Effect of Fertilization and Cultural Practices on the Oil and Ammonia Content of Cottonseed Grown on Yazoo-Mississippi Delta Soils 49–54
GILE, P. L. and LAKIN, H. W.: Effect of Different Soil Colloids on the Toxicity of Sodium Selenite to Millet 559–581
Gluconeogenesis of *Prodenia eridania*, factors affecting 258–288
Glycogen—
blood-cell—
in southern armyworm, influence of nutritional conditions 273–274
significance in different instars of armyworm 279
detection in armyworm, histochemical procedure 258–271, 284–286
in blood cells and midgut epithelium of southern armyworm, histochemical detection. J. Franklin Yeager and Sam C. Munson 257–294
occurrence in alimentary epithelial cells of animals 282–283
Glycogenolysis of *Prodenia eridania*, factors affecting 258–288
Graphium rigidum, dissemination to logs and lumber 550–552, 555–556
Green manures, effect on yield and oil and ammonia content of cottonseed grown on Yazoo-Mississippi Delta areas 52
GRIBBINS, M. F., REID, J. J., and HALEY, D. E.: The Distribution of Potassium in Bright Leaf Cigarette Tobacco and Its Influence on the Quality of the Leaf 31–39
GRIMBALL, PAUL C., POOLE, CHARLES F., and PORTER, D. R.: Inheritance of Seed Characters in Watermelon 433–456
Growth substance in crown gall, relation to time after inoculation, critical temperature, and diffusion. A. J. Riker, Berch Henry, and B. M. Duggar 395–405

HALEY, D. E., GRIBBINS, M. F., and REID, J. J.: The Distribution of Potassium in Bright Leaf Cigarette Tobacco and Its Influence on the Quality of the Leaf 31–39
HANKINS, O. G., and HINER, R. L.: Use of the Penetrometer for Determining the Firmness of Fatty Tissue of Hog Carcasses 233–240
HARDY, J. I., and PLITT, THORA M.: "Particles" and Their Relationship to the Structure of Animal Fibers 295–303
HARTER, L. L., and ZAUMEYER, W. J.: Inheritance of Resistance to Six Physiologic Races of Bean Rust 599–622
Hay, alfalfa, value in meeting vitamin D requirement of pigs. D. W. Johnson and L. S. Palmer 639–648
Helminthosporium maydis race 1, infection of maize, inheritance of susceptibility to. Arnold J. Ullstrup 331–334
Hemicellulose, hydrolysis, procedure 244–246
Hemicelluloses of sugarcane fiber. B. L. Davis and Max Phillips 241–247
Hemophilus—
gallinarum, growth, C factor a requirement, study. J. P. Delaplane and H. O. Stuart 29–30
influenzae, growth, effects of different methods of treating serums and plasma solutions, studies 30
HENRY, BERCH, RIKER, A. J., and DUGGAR, B. M.: Growth Substance in Crown Gall as Related to Time After Inoculation, Critical Temperature, and Diffusion 395–405
Heteroauxin, growth substances, relation to crown gall formation 397–404
Hides—
disinfecting against virus of vesicular stomatitis, experiments at Beltsville, Md 41–47
disinfection, use of sodium bifluoride and silicofluoride in. C. A. Manthei and A. Eichhorn 41–48
HINER, R. L., and HANKINS, O. G.: Use of the Penetrometer for Determining the Firmness of Fatty Tissue of Hog Carcasses 233–240
Hog carcasses, fatty tissue, firmness, determination by use of penetrometer. R. L. Hiner and O. G. Hankins 233–240
HOOTON, DALTON R., MITCHELL, ROLAND B., and CLARK, FRANCIS E.: Soil Bacteriological Studies on the Control of the Phymatotrichum Root Rot of Cotton 535–547
Horse—
feces, alternate freezing and thawing, effect on strongyle eggs, experiments 201–204
strongyle—
eggs—
survival and development, laboratory experiments 198–204
survival and development, outdoor experiments 204–207, 214–216
unembryonated, effect of subfreezing temperatures on survival 198–200, 201
infective larvae, potential yield, experiments 202–204
larvae, survival in early and advanced stages of development 207–211
preinfective larvae, survival and development, laboratory experiments 207–211
preinfective larvae, survival and development, outdoor experiments 211–212
strongyles—
eggs and preinfective larvae, survival and development at low temperatures. John T. Lucker 193–218
embryonation, effect on resistance of eggs to subfreezing temperatures 200–201
Houston black clay, organic amendments, microbial responses. Roland B. Mitchell, James E. Adams, and Charles Thom 527–534
HURD-KARRER, ANNIE M.: Chlorate Toxicity and Persistence in Relation to Soil Reaction 481–494
Hydrogen-ion concentration studies of sugar-beet seed and seed-ball extracts 698–701, 710

Inheritance of—
melaninlike pigment in glumes and caryopses of barley. R. W. Woodward 21–28
quantitative characters in crosses involving two species of *Lycopersicon*. LeRoy Powers 149–174
reaction to common scab in potato. F. A. Krantz and Carl J. Eide 219–231
resistance to six physiologic races of bean rust. W. J. Zaumeyer and L. L. Harter 599–622
rust reaction in cross between flax varieties Buda and J. W. S. H. H. Flor 369–388

Inheritance—Continued. Page
of seed characters in watermelon. Charles F. Poole, Paul C. Grimball, and D. R. Porter 433-456
of stages of earliness in an interspecific cross between *Lycopersicon esculentum* and *L. pimpinellifolium*. Channing B. Lyon 175-182
of susceptibility to infection by *Helminthosporium maydis* race 1 in maize. Arnold J. Ullstrup 331-334
studies on duration of developmental stages in crosses within genus *Lycopersicon*. LeRoy Powers and Channing B. Lyon 129-148
Insect tissues, glycogen occurrence, detection 283-284
Insecticide, efficacy, importance of wetting power 681
Insects—
blood-cell glycogen, occurrence, factors affecting 276-279
dissemination of wood-staining fungi 551-554, 556-557
Iodine—
in plant and microbiological nutrition, nature of 631-633
in soils, effect on crop yields, experiments 633-635
relation to plant nutrition. J. C. Lewis and W. L. Powers 623-637
Iron—
content of soil colloids, relation to effect on toxicity of sodium selenite 575, 576
gels, artificial, effect on toxicity of sodium selenite, experiment 575

JOHNSON, D. W., and PALMER, L. S.: Meeting the Vitamin D Requirement of Pigs With Alfalfa Hay and Winter Sunshine 639-648

Karakul fiber, structure, relationship to "particles" 297-302
Keratin particles, presence in animal fibers 300-301
KNAPP, BRADFORD, Jr., and BLACK, W. H.: Factors Influencing Rate of Gain of Beef Calves During the Suckling Period 249-254
KOSAR, WILLIAM F., THOMPSON, ROSS C., and WHITAKER, THOMAS W.: Interspecific Genetic Relationships in *Lactuca* 91-107
KRANTZ, F. A., and EIDE, CARL J.: Inheritance of Reaction to Common Scab in the Potato 219-231

Labiatae, photoperiodic behavior, further studies. H. A. Allard 55-64
Lactuca—
crosses, chromosome behavior in, experiments 95-106
interspecific genetic relationships. Ross C. Thompson, Thomas W. Whitaker, and William F. Kosar 91-107
spp., 9- and 17-chromosome, crosses between, characteristics 100-103
spp., nine-chromosome, crosses between, value and characteristics 95-98
spp., 17-chromosome, crosses between, value and characteristics 98
LAKIN, H. W., and GILE, P. L.: Effect of Different Soil Colloids on the Toxicity of Sodium Selenite to Millet 559-581
Lambs, feeding smooth bromegrass, digestibility experiments 428-431
Lettuce—
breeding program at Beltsville, Md., and La Jolla, Calif 91, 93-106
growth, effect of iodine, experiments 627-629
seed—
extracts, properties and effect on germination of lettuce and naked sugar-beet seeds 704-705
germination, factors affecting 701-705, 709-710
LEWIS, J. C., and POWERS, W. L.: Iodine in Relation to Plant Nutrition 623-637
Light—
effect on behavior of mint species 55-64
equal and unequal ratios to darkness in cycles ranging from 1 hour to 72 hours, responses of some plants. H. A. Allard and W. W. Garner 305-330
Logs, fungi staining, dissemination. A. F. Verrall 549-558

LUCKER, John T.: Survival and Development at Low Temperatures of Eggs and Preinfective Larvae of Horse Strongyles 193-218
Lumber—
chemical treatments for control of staining fungi 555-556, 557
fungi staining, dissemination. A. F. Verrall 549-558
Lycopersicon—
crosses—
developmental stages, inheritance studies 129-146
fruits, number per centimeter of branch, factors affecting 159-160, 167-169
involving two species, inheritance of quantitative characters. LeRoy Powers 149-174
locules, number per fruit, factors affecting 158-159, 163-164, 167-169
plant height, factors affecting 160-161, 167-169
plant spread, factors affecting 161, 167
quantitative characters, inheritance studies 149-171
weight of fruits, factors affecting 157-158, 162-163, 167-169
esculentum—
and *L. pimpinellifolium*, interspecific cross between, stages of earliness in, inheritance. Channing B. Lyon 175-182
varieties and crosses, developmental stages, inheritance 129-146
varieties and crosses, quantitative characters, inheritance studies 149-172
genus, crosses, duration of developmental stages within, inheritance studies. LeRoy Powers and Channing B. Lyon 129-148
pimpinellifolium—
and *L. esculentum*, interspecific cross between, stages of earliness in, inheritance. Channing B. Lyon 175-182
varieties and crosses, developmental stages, inheritance 129-146
varieties and crosses, quantitative characters, inheritance studies 149-172
See also Tomato.
LYON, CHANNING B.:
Inheritance of Stages of Earliness in an Interspecific Cross Between *Lycopersicon esculentum* and *L. pimpinellifolium* 175-182
and POWERS, LEROY: Inheritance Studies on Duration of Developmental Stages in Crosses Within the Genus *Lycopersicon* 129-148

Machinery, milling, inoculation of lumber with spores of wood-staining fungi 554-555, 557
Magnesium content of *Symphoricarpos rotundifolius*, factors affecting 735-736
Maize—
inheritance of susceptibility to infection by *Helminthosporium maydis* race 1. Arnold J. Ullstrup 331-334
See also Corn.
MANTHEI, C. A., and EICHHORN A.: Use of Sodium Bifluoride and Sodium Silicofluoride in the Disinfection of Hides 41-48
MCLEAN, JOHN G., and WALKER, J. C.: A Comparison of *Fusarium avenaceum*, *F. oxysporum* and *F. solani* var. *eumartii* in Relation to Potato Wilt in Wisconsin 495-525
Meiotic behavior of *Phleum pratense*×*Phleum subulatum* F_1 hybrid. W. M. Myers 649-659
Melampsora lini—
physiologic races, differentiation by reaction 370-373
reaction in a cross between flax varieties Buda and J. W. S., inheritance studies 367-387
Melaninlike pigment, inheritance in glumes and caryopses of barley. R. W. Woodward 21-28
Melon juice, properties, relation to dry-seed extracts 705-706
Mentha spp., photoperiodic studies 55-64
Micelles, definition and structure 300
Microbial responses to organic amendments in Houston black clay. Roland B. Mitchell, James E. Adams, and Charles Thom 527-534
Micro-organisms—
growth, iodine requirements, experiments 631-633
presence in Houston black clay, studies 528-532

MIDDLETON, JOHN T., and TOMPKINS, C. M.: A Mosaic Disease of *Primula obconica* and Its Control — Page 671–679

Millet—
- selenium absorption — 577–578
- toxicity of sodium chlorate to — 482–483, 491–492
- toxicity of sodium selenite to—
  - comparison with sodium selenate — 579
  - comparison with wheat and rice — 578–579
  - effect of different soil colloids. P. L. Gile and H. W. Lakin — 559–581

Mints, photoperiodic behavior, further studies. H. A. Allard — 55–64

Mississippi-Yazoo Delta soils, cottonseed grown on, oil and ammonia content, effects of fertilization and cultural practices. Marvin Gieger — 49–54

MITCHELL, ROLAND B.:
- ADAMS, JAMES E., and THOM, CHARLES: Microbial Responses to Organic Amendments in Houston Black Clay — 527–534
- HOOTON, DALTON R., and CLARK, FRANCIS E.: Soil Bacteriological Studies on the Control of the Phymatotrichum Root Rot of Cotton — 535–547

Moisture, effect on production and development of *Fusarium* spp — 506–509, 522–523

Monarda spp., photoperiodic studies — 55–64

MOON, H. H., and CULPEPPER, C. W.: Effect of Stage of Maturity at Time of Harvest on Germination of Sweet Corn — 335–343

Mosaic—
- common, of bean, transmission under natural field conditions, genetic study. B. L. Wade and C. F. Andrus — 389–393
- disease of *Primula obconica* and its control. C. M. Tompkins and John T. Middleton — 671–679

MUNSON, SAM C., and YEAGER, J. FRANKLIN: Histochemical Detection of Glycogen in Blood Cells of the Southern Armyworm (*Prodenia eridania*) and in Other Tissues, Especially Midgut Epithelium — 257–294

MYERS, W. M.: Meiotic Behavior of *Phleum pratense*, *Phleum subulatum*, and Their F_1 Hybrid — 649–659

Nicotiana rustica, intraspecific hybrid selections, increased size and nicotine production. Harold H. Smith and Charles W. Bacon — 457–467

Nicotine—
- production in selections from intraspecific hybrids of *Nicotiana rustica*. Harold H. Smith and Charles W. Bacon — 457–467
- yield of tobacco—
  - factors affecting — 461–464
  - hybrids, economic considerations — 466

Nitrogen, effect on yield and oil and ammonia content of cottonseed grown on Yazoo-Mississippi Delta areas — 50–51

Nutrients, digestible, apparent, and chemical composition, in smooth bromegrass harvested in three stages of maturity. Jerry Sotola — 427–432

Nutrition—
- factors affecting aphanomyces root rot of garden pea. Paul G. Smith and J. C. Walker — 1–20
- microbiological, iodinein, essentiel nature, studies — 624–631
- plant, effect of iodine. J. C. Lewis and W. L. Powers — 623–637
- sulphur and trace-element, of *Aspergillus niger*. Robert A. Steinberg — 109–127

Oat seed, extracts, properties and effect on germination of lettuce and naked sugarbeet seeds — 704–705

Oil content of cottonseed, effects of fertilization and cultural practices when grown on Yazoo-Mississippi Delta soils. Marvin Gieger — 49–54

Onion seed, germination, influence of osmosis and ammonia — 701–704

Ophiobolus graminis—
- in pure culture, effect of extreme temperatures — 716–717, 726
- in soil, effect of extreme temperatures and drought — 717–719

Ophiobolus graminis—Continued. — Page
- prevalence in soil, effect of certain environmental conditions. Hurley Fellows — 715–726
- viability, effect of temperature, moisture content, and soil compactness — 719–725

Organic amendments in Houston black clay, microbial responses. Roland B. Mitchell, James E. Adams, and Charles Thom — 527–534

Oxysporum wilt of potatoes, studies in Wisconsin — 495–524

PALMER, L. S.: and JOHNSON, D. W.: Meeting the Vitamin D Requirement of Pigs With Alfalfa Hay and Winter Sunshine — 639–648

PATCH, L. H., STILL, G. W., APP, B. A., and CROOKS, C. A.: Comparative Injury by the European Corn Borer to Open-Pollinated and Hybrid Field Corn — 355–368

Pea—
- garden, aphanomyces root rot of, certain environal and nutritional factors affecting. Paul G. Smith and J. C. Walker — 1–20
- root rot—
  - development, effect of increased nutrient concentration after inoculation with *Aphanomyces euteiches* — 14–15, 18–19
  - environmental studies — 3–7, 16–17
  - infection of pea, nutritional studies — 7–16, 17–19
  - symptoms and method of disease rating — 3

Penetrometer, use for determining firmness of fatty tissue of hog carcasses. R. L. Hiner and O. G. Hankins — 233–240

Pepper—
- plants, infection with root rot, factors affecting — 418
- root rot—
  - caused by *Phytophthora capsici*. C. M. Tompkins and C. M. Tucker — 417–426
  - symptoms — 418–419
  - varieties, susceptibility to infection by *Phytophthora capsici*, studies — 423–424

Peppers, infection by *Phytophthora capsici*, symptoms — 418–419

PHILLIPS, MAX, and DAVIS, B. L.: The Hemicelluloses of Sugarcane Fiber (Bagasse) — 241–247

Phleum pratense—
- ×*Phleum subulatum*—
  - F_1 hybrid, meiotic behavior. W. M. Myers — 649–659
  - F_1 hybrids, meiosis — 652–655, 656–657
  - F_1 hybrids, morphology and fertility — 655
  - meiosis — 650–652, 656–657

Phleum subulatum—
- ×*Phleum pratense*, F^1 hybrid, meiotic behavior. W. M. Myers — 649–659
- meiosis — 650, 656–657

Phosphate supply, effect on selenium toxicity, experiment — 562

Phosphorus—
- content of *Symphoricarpos rotundifolius*, factors affecting — 735
- Effect on yield and oil and ammonia content of cottonseed grown on Yazoo-Mississippi Delta areas — 51–52

Photoperiodic behavior of some mints (Labiatae), further studies. H. A. Allard — 55–64

Phymatotrichum omnivorum—
- control, studies — 536–546
- microflora associated with, studies — 527–533
- mycelium, growth and persistence on cotton roots — 536–541, 544–546
- sclerotia, elimination from soil, experiments — 541–544, 545–546

Phymatotrichum root rot of cotton, control, soil bacteriological studies. Roland B. Mitchell, Dalton R. Hooton, and Francis E. Clark — 535–547

Phytomonas tumefaciens, pathogenicity, relation to growth substances, study — 395–404

Phytophthora capsici—
- cause of root rot of pepper and pumpkin. C. M. Tompkins and C. M. Tucker — 417–426
- experimental host range, studies — 424
- isolation from peppers and pumpkins, identity and temperature relations — 419–420
- pathogenicity on pepper and pumpkin, experiments — 420–421

Pigment, melaninlike, inheritance in glumes and caryopses of barley. R. W. Woodward ... Page 21–28
Pigs—
growth, vitamin D requirements ... 639–648
still-born, causes and control ... 345–352
vitamin D requirement, value of alfalfa hay and winter sunshine. D. W. Johnson and L. S. Palmer ... 639–648
Plant—
breeding methods utilizing heterosis and dominance, value ... 164–167
cell-sap acidity and susceptibility to chlorate injury ... 490–491
growth, relation to different ratios of light and darkness, studies ... 306–329
nutrition—
effect of iodine. J. C. Lewis and W. L. Powers ... 623–637
iodine in, essential nature, problem ... 624–631
Plants—
responses to equal and unequal ratios of light and darkness in cycles ranging from 1 hour to 72 hours. H. A. Allard and W. W. Garner ... 305–330
selenium absorption, determination ... 577–578
toxicity of—
sodium chlorate to ... 482–493
sodium selenite to, effect of different soil colloids ... 559–580
PLITT, THORA M., and HARDY, J. I.: "Particles" and Their Relationship to the Structure of Animal Fibers ... 295–303
Poisons—
contact, efficiency, relation to wetting power ... 681
stomach, wetting power of spray solution, importance ... 681
Pollen, cotton, immediate effects on boll characters, factors influencing. H. J. Fulton ... 469–480
POOLE, CHARLES F., GRIMBALL, PAUL C., and PORTER, D. R.: Inheritance of Seed Characters in Watermelon ... 433–456
PORTER, D. R., POOLE, CHARLES F., and GRIMBALL, PAUL C.: Inheritance of Seed Characters in Watermelon ... 433–456
Potash fertilizer treatments of bright leaf cigarette tobacco, studies ... 31–38
Potassium—
distribution in bright leaf cigarette tobacco and its influence on the quality of the leaf. M. F. Gribbins, J. J. Reid, and D. E. Haley ... 31–39
effect on yield and oil and ammonia content of cottonseed grown on Yazoo-Mississippi Delta areas ... 51–52
iodine, effect on—
crop yields ... 623–636
growth of *Azotobacter agile* ... 631–632
Potato—
crosses, reaction to common scab, determination ... 221–230
foliage, fusarium wilt symptoms, seasonal development ... 511–513, 521
fusarium wilts, seasonal development ... 509–521
inoculation with *Fusarium* spp., methods and pathogenicity studies ... 495–498, 521–523
scab, common, inheritance of reaction to. F. A. Krantz and Carl J. Eide ... 219–231
seed-piece inoculation with *Fusarium avenaceum*, *F. oxysporum*, and *F. solani* var. *eumartii*, pathogenicity tests ... 497–498, 522–523
tissue, relation of *Fusarium* spp. to ... 505
tubers, fusarium wilt symptoms, seasonal development ... 513–517, 522
wilt, in Wisconsin, comparison of *Fusarium avenaceum*, *F. oxysporum*, and *F. solani* var. *eumartii* in relation to. John G. McLean and J. C. Walker ... 495–525
wilts, development in field, relation to environment ... 518–521
Potatoes, resistance to common scab, determination methods ... 220–221
Powder-post beetles, dissemination of wood-staining fungi ... 553–554, 556
POWERS, LEROY:
Inheritance of Quantitative Characters in Crosses Involving Two Species of *Lycopersicon* ... 149–174
POWERS, LEROY—Continued. Page
and LYON, CHANNING B.: Inheritance Studies on Duration of Developmental Stages in Crosses Within the Genus *Lycopersicon* ... 129–148
POWERS, W. L., and LEWIS, J. C.: Iodine in Relation to Plant Nutrition ... 623–637
Pressing, effect on fabrics made from new and reprocessed wool ... 589–596
Primrose. See *Primula obconica*.
Primula obconica, mosaic—
control ... 678
disease and its control. C. M. Tompkins and John T. Middleton ... 671–679
disease, symptoms ... 672–674
virus—
comparison with other viruses ... 677–678
experimental host range ... 675–676
properties and description ... 676–677
transmission ... 674–675
Prodenia eridania, blood—
buffer capacity. Frank H. Babers ... 183–190
cells, midgut epithelium, and other tissues, glycogen in, histochemical detection. J. Franklin Yeager and Sam C. Munson ... 257–294
Protein content of *Symphoricarpos rotundifolius*, factors affecting ... 732–734
Pumpkin—
plants, infection with root rot, factors affecting ... 418
root rot caused by *Phytophthora capsici*. C. M. Tompkins and C. M. Tucker ... 417–426
varieties, susceptibility to infection by *Phytophthora capsici*, studies ... 423–424
Pumpkins—
infection by *Phytophthora capsici*, symptoms ... 418–419
root rot, symptoms ... 418–419

Radish seed, germination, influence of osmotic pressure and ammonia ... 701–704, 708
REID, J. J., GRIBBINS, M. F., and HALEY, D. E.: The Distribution of Potassium in Bright Leaf Cigarette Tobacco and Its Influence on the Quality of the Leaf ... 31–39
Rice—
selenium absorption ... 577–578
toxicity of sodium selenite to—
comparison with sodium selenate ... 579
comparison with wheat and millet ... 578–579
effects of different soil colloids ... 559–560, 574–575
Rickets, in pigs—
curing by winter sunlight ... 640–648
prevention by feeding alfalfa ... 640–648
RIKER, A. J., HENRY, BERCH, and DUGGAR, B. M.: Growth Substance in Crown Gall as Related to Time After Inoculation, Critical Temperature, and Diffusion ... 395–405
Root rot—
of pepper and pumpkin caused by *Phytophthora capsici*. C. M. Tompkins and C. M. Tucker ... 417–426
See also under specific host.
Rudbeckia bicolor, growth and flowering, relation to different ratios of light and darkness ... 318–319, 328–329

Season, effect on chemical composition of *Symphoricarpos rotundifolius*, experiments ... 727–738
Seed—
characters, inheritance in watermelon. Charles F. Poole, Paul C. Grimball, and D. R. Porter ... 433–456
color, relation to nitrogen content ... 709
Seeds, germination, factors affecting with special reference to toxic effects of ammonia. Myron Stout and Bion Tolman ... 687–713
Selenium, absorption by plants, determination ... 577–578
SMITH, HAROLD H., and BACON, CHARLES W.: Increased Size and Nicotine Production in Selections From Intraspecific Hybrids of *Nicotiana rustica* ... 457–467
SMITH, LUTHER: An Inversion, a Reciprocal Translocation, Trisomics, and Tetraploids in Barley ... 741–750
SMITH, PAUL G., and WALKER, J. C.: Certain Environal and Nutritional Factors Affecting Aphanomyces Root Rot of Garden Pea ... 1–20
Snap beans. *See* Beans, snap.

Snowberry, roundleaf, chemical composition, influence of soil, site, and collection date... Page 727–738
Sodium—
bifluoride, use in disinfection of hides. C. A. Manthei and A. Eichhorn... 41–48
chlorate, toxicity—
and persistence in relation to soil reaction... 481–493
persistence, relation to soil reaction... 486–490
selenate, toxicity to plants, comparison with sodium selenite... 579
selenite, toxicity to—
millet, effect of different soil colloids. P. L. Gile and H. W. Lakin... 559–581
plants, comparison with sodium selenate... 579
silicofluoride, use in disinfection of hides. C. A. Manthei and A. Eichhorn... 41–48
Soil—
bacteriological studies on control of phymatotrichum root rot of cotton. Roland B. Mitchell, Dalton R. Hooton, and Francis E. Clark... 535–547
colloids. *See* Colloids, soil.
compactness, effect on viability of *Ophiobolus graminis* combined with moisture and temperature... 719–725
fertility, relation to development of aphanomyces root rot of pea... 7–8, 17–19
influence on chemical composition of *Symphoricarpos rotundifolius*. L. A. Stoddart... 727–739
moisture, effect on—
infection of pea by *Aphanomyces euteiches*... 6–7, 16–17
infection of potato by *Fusarium* spp... 507–508
viability of *Ophiobolus graminis* combined with compactness and temperature... 719–725
Ophiobolus graminis in, prevalence, effects of certain environmental conditions. Hurley Fellows... 715–726
Phymatotrichum sclerotia in, elimination, experiments... 541–544, 545–546
reaction, relation of chlorate toxicity and persistence to. Annie M. Hurd-Karrer... 481–494
temperature, effect on infection of—
pea by *Aphanomyces euteiches*, studies... 5–6, 16–17
potato by *Fusarium* spp... 507–508
Soils—
chlorate toxicity in relation to acidity... 483–486
iodine additions to, effects on crop yields... 633–635
Yazoo-Mississippi Delta, cottonseed grown on, oil and ammonia content, effect of fertilization and cultural practices. Marvin Gieger... 49–54
Sorgo, toxicity of sodium chlorate to... 482–483, 486–488, 490–492
Sotola, Jerry: The Chemical Composition and Apparent Digestibility of Nutrients in Smooth Bromegrass Harvested in Three Stages of Maturity... 427–432
Soybean—
Peking, growth and flowering, relation to different ratios of light and darkness... 306–316, 327–329
toxicity of sodium chlorate to... 482–493
Spinach seed, extracts, properties and effect on germination of lettuce and naked sugar-beet seeds... 704–705
Spray—
solution, wetting power, importance, factors affecting... 681
wetting power, relation to its initial retention by a fruit surface. H. L. Cupples... 681–686
Sprays, containing—
distilled water and wetting agent, efficacy, test... 683–685
sodium bicarbonate and wetting agent, efficacy tests... 682–683, 684–685
Steinberg, Robert A.: Sulphur and Trace-Element Nutrition of *Aspergillus niger*... 109–127
Sterility in barley, cytological studies... 741, 744–746
Still, G. W., Patch, L. H., App, B. A., and Crooks, C. A.: Comparative Injury by the European Corn Borer to Open-Pollinated and Hybrid Field Corn... 355–368
Stillbirth in swine, causes and attempt at control. S. A. Asdell and J. P. Willman... 345–353
Stoddart, L. A.: Chemical Composition of *Symphoricarpos rotundifolius* as Influenced by Soil, Site, and Date of Collection... Page 727–739
Stomatitis, vesicular, virus, effect of sodium bifluoride and sodium silicofluoride on, experiments... 42–47
Stout, Myron, and Tolman, Bion: Factors Affecting the Germination of Sugar-Beet and Other Seeds, With Special Reference to the Toxic Effects of Ammonia... 687–713
Strongyles, horse, eggs, and preinfective larvae, survival and development at low temperatures. John T. Lucker... 193–218
Stuart, H. O., and Delaplane, J. P.: A Study of the C Factor as a Requirement for Growth of *Hemophilus gallinarum*... 29–30
Sugar-beet—
growth, effect of iodine, experiments... 630–631
seed—
ball extracts—
effect on germination of various seeds... 701–702
enzymatic hydrolysis, release of ammonia... 696–698, 707, 710
pH studies during germination... 698–701, 710
nitrogen analysis before and after germination... 696
properties, chemical and physical... 691–692
germination, effects of fresh fruit juices... 706, 710
toxic effect of ammonia, experiments. 695, 707, 708
seedlings, toxic effects of ammonia, experiments... 695, 708
seeds—
germination, factors affecting, with special reference to toxic effects of ammonia. Myron Stout and Bion Tolman... 687–713
naked, germination, effect of osmotic pressure... 692–693, 705, 706–707, 710
naked, pH studies during germination... 699–701, 710
Sugarcane fiber, hemicelluloses. B. L. Davis and Max Phillips... 241–247
Sulfate concentration, effect on selenium toxicity, experiment... 560–562
Sulfur—
assimilability in—
cystine, methionine, and thiamin by *Aspergillus niger*, experiments... 113–114
miscellaneous organic compounds by *Aspergillus niger*... 114–116
compounds, effects of trace-element deficiencies on *Aspergillus niger* growth... 116–118
inorganic, assimilability by *Aspergillus niger*... 111–113, 121–125
nutrition of *Aspergillus niger*. Robert A. Steinberg... 109–127
sources, effects of nutrient-solution purification on *Aspergillus niger* growth... 121
Sunflower, toxicity of sodium chlorate to... 482–493
Sunshine, winter, value in meeting vitamin D requirement of pigs. D. W. Johnson and L. S. Palmer... 639–648
Swine—
litters, mortality in, studies... 346, 352
stillbirth, causes and attempt at control. S. A. Asdell and J. P. Willman... 345–353
stillbirths—
incidence... 345, 346–348
incidence, reduction... 351–352
possible causes... 348–351
Symphoricarpos rotundifolius, chemical composition, influence of soil, site, and collection date. L. A. Stoddart... 727–739

Temperature—
critical, relation to growth substance in crown gall. A. J. Riker, Berch Henry, and B. M. Duggar... 395–405
effect on—
germination of *Digitaria*, experiments... 66–89
production and development of *Fusarium* spp... 506–509, 522–523
viability of *Ophiobolus graminis*, combined with moisture and soil compactness... 719–725
germination, influence on germination progress of *Digitaria*, experiments. Eben H. Toole and Vivian Kearns Toole... 65–90
relation to growth of *Aphanomyces euteiches* on pea, studies... 3–4, 16–17

Temperatures— Page
extreme, effect on *Ophiobolus graminis* in pure culture and soil 716–719, 726
low, effect on survival and development of eggs and preinfective larvae of horse strongyles. John T. Lucker 193–218
THOM, CHARLES, MITCHELL, ROLAND B., and ADAMS, JAMES E.: Microbial Responses to Organic Amendments in Houston Black Clay 527–534
THOMPSON, ROSS C., WHITTAKER, THOMAS W., and KOSAR, WILLIAM F.: Interspecific Genetic Relationships in *Lactuca* 91–107
Tobacco—
bright leaf cigarette, potassium distribution in, and its influence on the quality of the leaf. M. F. Gribbins, J. J. Reid, and D. E. Haley 31–39
hybrids—
increased size, factors affecting 459–461
nicotine yield, factors affecting 461–464
selections from, increased size and nicotine production 457–467
leaf—
material, weight, effect on yield of nicotine 461–463
quality, influence of potassium distribution in bright leaf cigarette variety. M. F. Gribbins, J. J. Reid, and D. E. Haley 31–39
varietal hybrids, size, genetic considerations 464–466
TOLMAN, BION, and STOUT, MYRON: Factors Affecting the Germination of Sugar-Beet and Other Seeds, With Special Reference to the Toxic Effects of Ammonia 687–713
Tomato—
breeding, application of heterosis and dominance to 167–168
crosses—
genes, nature of interactions, determination 154–155, 161–164, 169–171
heterosis and dominance, studies 149–154, 156–161, 164–169
crown gall formation, relation to growth substance, studies 396–404
Danmark × Johannisfeuer—
developmental stages, effect of environment, studies 136–138, 143–146
effects of genes, determination 141–146
heterosis and dominance studies 138–140, 143–146, 156–161, 164–169
interactions of genes, nature of 161–164, 169–171
Danmark × Red Currant—
earliness character subdivisions, studies 135–136, 143–146
effects of genes, determination 141–146
heterosis and dominance, studies 138–139, 140–141, 143–146, 156–161, 164–169
interaction of genes, nature of 161 164, 169–171
developmental stages, inheritance studies 129–146
Johannisfeuer × Bonny Best—
earliness character subdivisions, studies 135–136, 144–146
effects of genes, determination 141–146
heterosis and dominance, studies 138–139, 140–141, 143–146, 156–161, 164–169
interactions of genes, nature of 161–164, 169–171
Johannisfeuer × Red Currant—
developmental stages, effect of environment, studies 136–138, 143–146
effects of genes, determination 141–146
heterosis and dominance, studies 138–139, 140–141, 143–146, 156–161, 164–169
interactions of genes, nature of 161–164, 169–171
juice—
effect on germination of seeds 705–706, 710
properties, relation to dry-seed extracts 705–706
plants, crosses between, inheritance of stages of earliness, experiments 175–182
quantitative characters, inheritance studies 149–172
seed, germination, influence of osmotic pressure and ammonia 701–704, 710
tissue—
auxin content, relation to gall formation 400–402, 403–404
diffusion of growth substance from crown gall bacteria and control tissue, studies 402–403, 404

Tomato—Continued. Page
tissue—continued.
gall formation, variation in *Avena* coleoptile curvature and heteroauxin equivalents 397–404
Tomatoes, growth, effect of iodine 629–631, 632
TOMPKINS, C. M., and—
MIDDLETON, JOHN T.: A Mosaic Disease of *Primula obconica* and Its Control 671–679
TUCKER, C. M.: Root Rot of Pepper and Pumpkin Caused by *Phytophthora capsici* 417–426
TOOLE, EBEN H., and TOOLE, VIVIAN KEARNS: Progress of Germination of Seed of *Digitaria* as Influenced by Germination Temperature and Other Factors 65–90
TOOLE, VIVIAN KEARNS, and TOOLE, EBEN H.: Progress of Germination of Seed of *Digitaria* as Influenced by Germination Temperature and Other Factors 65–90
Trace-element nutrition of *Aspergillus niger*. Robert A. Steinberg 109–127
TUCKER, C. M., and TOMPKINS, C. M.: Root Rot of Pepper and Pumpkin Caused by *Phytophthora capsici* 417–426

ULSTRUP, ARNOLD J.: Inheritance of Susceptibility to Infection by *Helminthosporium maydis* Race 1 in Maize 331–334
United States Department of Agriculture, Animal Disease Station, Beltsville, Md., hide disinfection experiments 42–47
Urea solutions, nitrogen analysis after sugar-beet seed germination 696, 708
Utah, mountain pastures, soils and vegetation, description 729–730

Vegetable juices, effect on germination of seeds 705–706, 710
VERRALL, A. F.: Dissemination of Fungi That Stain Logs and Lumber 549–558
Vesicular stomatitis, virus, effect of sodium bifluoride and sodium silicofluoride on, experiments 42–47
Vitamin D requirement of pigs, value of alfalfa hay and winter sunshine. D. W. Johnson and L. S. Palmer 639–648

WADE, B. L.:
Genetic Studies of Variegation in Snap Beans 661–669
and ANDRUS, C. F.: A Genetic Study of Common Bean Mosaic Under Conditions of Natural Field Transmission 389–393
WALKER, J. C., and—
MCLEAN, JOHN G.: A Comparison of *Fusarium avenaceum*, *F. oxysporum*, and *F. solani* var. *eumartii* in Relation to Potato Wilt in Wisconsin 495–525
SMITH, PAUL G.: Certain Environal and Nutritional Factors Affecting Aphanomyces Root Rot of Garden Pea 1–20
Water, rain, means of disseminating wood-staining fungi 554, 557
Watermelon, seed—
characters, inheritance. Charles F. Poole, Paul C. Grimball, and D. R. Porter 433–456
coat color, inheritance, experiments 441–446, 453–455
length—
and seed-coat color genes, relation between 446–452, 454–455
inheritance, experiments 438–441
Wheat—
selenium absorption 577–578
spring, growth and heading, relation to different ratios of light and darkness 316–317, 328–329
take-all, causal organism, effect of environment 715–726
toxicity of sodium selenite to—
comparison with rice and millet 578–579
comparison with sodium selenate 579
effects of soil colloids 559–571, 577–580
Wheatgrass, crested, feed value, comparison with smooth bromegrass 427, 430–431
WHITAKER, THOMAS W., THOMPSON, ROSS C., and KOSAR, WILLIAM F.: Interspecific Genetic Relationships in *Lactuca* 91–107

WILLMAN, J. P., and ASDELL, S. A.: The Causes of Stillbirth in Swine and an Attempt to Control It ... Page 345–353

Wisconsin, potato wilt, comparison of *Fusarium avenaceum*, *F. oxysporum* and *F. solani* var. *eumartii* in relation to. John G. McLean and J. C. Walker ... 495–525

Wood-staining fungi. *See* Fungi.

WOODWARD, R. W.: Inheritance of a Melaninlike Pigment in the Glumes and Caryopses of Barley ... 21–28

Wool—
- fabrics made of new and reprocessed wool—
  - chemical properties, determinations ... 587, 588–589
  - physical properties, determinations ... 584–587, 588–589
- fibers—
  - measurements, cross-section, sampling study. Barbara Bailey ... 407–415
  - new and reprocessed, comparison ... 587–588
  - sampling in cross-section measurements, study. Barbara Bailey ... 407–415
  - structure, relationship to "particles" ... 295–302

Wool—Continued. Page
- new and reprocessed—
  - fabrics manufactured from, comparison ... 588–596
  - flannels containing different proportions of, physical and chemical properties. Barbara Bailey ... 583–598
  - "particles," relationship to fibers ... 295–302

Yazoo-Mississippi Delta soils, cottonseed growth on, oil and ammonia content, effects of fertilization and cultural practices. Marvin Gieger ... 49–54

YEAGER, J. FRANKLIN and MUNSON, SAM C.: Histochemical Detection of Glycogen in Blood Cells of the Southern Armyworm (*Prodenia eridania*) and in Other Tissues, Especially Midgut Epithelium ... 257–294

ZAUMEYER, W. J., and HARTER, L. L.: Inheritance of Resistance to Six Physiologic Races of Bean Rust ... 599–622

Zinnia angustifolia, growth and flowering, relation to different ratios of light and darkness ... 320–324, 328–329